

List of Figures

1.1	Computer vision and neighbouring disciplines	2
1.2	Photogrammetric computer vision for GIS data capture	3
1.3	Photogrammetric pipeline	4
1.4	Photogrammetric computer vision for metrology	5
1.5	Photogrammetric computer vision for surface reconstruction	6
1.6	Components of a model for image interpretation	7
1.7	Imaging model	8
1.8	Uncertain geometry in geometric image analysis	10
1.9	Observation–analysis–modelling–planning loop	10
1.10	Structure of Part I	12
1.11	Structure of Part II	14
1.12	Structure of Part III. Topics useful in basic courses are in grey boxes, advanced topics in white boxes.	15
2.1	Bertrand’s paradox	22
2.2	Independence, conditional and total probability	23
2.3	Probability function $P_c(x)$ and density function $p_c(x)$ for throwing a coin	25
2.4	Probability distribution of rounding errors	26
2.5	One-dimensional Gaussian distribution	30
2.6	Two-dimensional Gaussian distribution	32
2.7	Fisher and Wishart distribution and its specializations	35
2.8	Transformation of a random variable	41
2.9	Three samples of a Gaussian process	51
2.10	Autoregressive processes	54
2.11	Scatterplot and histogram	56
3.1	Decisions during hypothesis testing and their probabilities	62
3.2	Traffic light decision with two thresholds and three regions	64
3.3	Hypothesis testing and power of test	66
3.4	Lower bound δ_0 for multi-dimensional tests	67
4.1	Example for Bayesian estimation	77
4.2	Hierarchy of estimation principles	80
4.3	Geometry of least squares estimation	85
4.4	Observations \mathbf{l}_k of a set $\{s_k\}$ of signal values	93
4.5	Covariance intersection	99
4.6	Update in the Gauss–Markov model	104
4.7	Coordinate or K-transformation and gauge or S-transformation.	109
4.8	Precision, accuracy and bias	116
4.9	Comparison of two experiments with suboptimal test statistic	120
4.10	Comparing a covariance matrix with a criterion matrix	121
4.11	Sensitivity of similarity transformation with five points	132

4.12	Robust estimation as oracle machine	142
4.13	Distribution of the errors modelled as a mixture	143
4.14	Clustering two sets of points	158
4.15	Update of observations and unknowns in the Gauss–Helmert model	163
4.16	On the equivalence of models	172
4.17	Planar triangulation	189
5.1	Straight line with parameters of Hessian normal form.	197
5.2	Representation with homogeneous coordinates, Euclidean normalization.	200
5.3	Spherical normalization.	201
5.4	Intersection and join.	202
5.5	Join of two points and intersection of two lines on the projective plane.	202
5.6	Duality of points and lines in the plane.	204
5.7	2D line example.	208
5.8	Line at infinity	208
5.9	Perspective view of a scene with a line at infinity.	208
5.10	Celestial sphere.	211
5.11	Plane with normal.	212
5.12	Plane in point-direction form	213
5.13	The projective line.	214
5.14	Partitioning of the projective plane.	216
5.15	Degrees of freedom of a 3D line.	217
5.16	Representation of a 3D line with Plücker coordinates.	218
5.17	Triangle with positive (left) and negative (right) area	222
5.18	The sign of the volume of a tetrahedron.	225
5.19	Two 3D lines through pairs of points.	227
5.20	Duality and polarity in 2D.	234
5.21	Duality of point and plane in 3D	234
5.22	Duality of two 3D lines.	235
5.23	Polarity at a conic.	239
5.24	Regular and singular point and line conics.	239
5.25	Quadrics	240
5.26	Stereographic mapping of the projective plane	243
5.27	Entities of 2D and 3D coordinate systems.	244
5.28	3D line \mathcal{L} from two planes	246
6.1	Interpretation of transformations.	250
6.2	Example for a homography using a pinhole camera.	253
6.3	Sharp optical projection with a thin lens.	256
6.4	Singular projective mapping	258
6.5	Concatenation of motions of an object.	263
6.6	Concatenation of transformations of the coordinate system.	264
6.7	Denavit–Hartenberg representation.	264
6.8	Invariants of a rectangle.	267
6.9	Equivariant functions.	267
6.10	Non-invariance of the distance ratio under perspectivity	269
6.11	Example for the use of the invariance of the cross ratio	269
6.12	Cross ratio of points and lines.	270
6.13	Horizon of a plane with equidistant coplanar lines	271
6.14	Paper strip construction	272
6.15	Chasles’ theorem.	273
6.16	Elation of repeated structures on a facade.	279
6.17	Harmonic homology: Mirroring in 2D at an axis.	279
6.18	Examples for 2D homologies.	280
6.19	Example for conjugate rotation.	281
6.20	Conjugate rotation during camera rotation.	281

6.21	Projective correlation: The Hough transformation.	283
6.22	Hierarchy of projective transformations.	284
6.23	Specialization hierarchy of collineations.	285
6.24	Exercise: Paper strip construction.	288
6.25	Two bumper cars \mathcal{A} and \mathcal{B} viewing the cashier \mathcal{C} (in scale)	289
7.1	Directions and angles between two lines	299
7.2	Proof of the relation for the intersection point of a line and a plane	302
7.3	Line through four given lines.	303
7.4	Proof of the incidence constraint of two lines	306
7.5	The distance between two 3D lines.	310
7.6	Visualization of skew symmetric matrix of a 2D point.	312
7.7	Visualization of the matrix representing a 3D point.	314
7.8	Visualization of columns of the Plücker matrix.	314
7.9	Visualization of columns and rows of the dual matrix of a plane.	315
8.1	Elementary rotations of a point in the three coordinate planes.	328
8.2	3D rotation around an axis.	331
8.3	Person \mathcal{A} in a swing carousel and person \mathcal{B} in a Ferris wheel	342
9.1	Examples for oriented elements.	343
9.2	Oriented 2D points.	345
9.3	The oriented 2D line partitions the oriented projective plane	346
9.4	Visualization of the oriented projective plane.	347
9.5	Oriented plane and 3D line.	347
9.6	Chirality of three positive 2D points and of a point line configuration with positive point	349
9.7	Relation of a point and a triangle.	350
9.8	Oriented configuration of four points	351
9.9	Chirality of two 3D lines.	351
9.10	Relations of point and a tetrahedron and of a 3D line and a 3D triangle	352
9.11	Constructions of oriented 2D lines and 2D segments.	353
9.12	Constructions of oriented 2D points.	353
9.13	Constructions of oriented 3D elements	354
9.14	Orientation and chirality of a homography.	356
10.1	Uncertain 2D point from two uncertain 2D lines.	360
10.2	For testing, it is necessary to rigorously take the uncertainty into account.	362
10.3	Example for estimation with homogeneous entities	363
10.4	Estimation in the tangent space of a curved manifold	364
10.5	Ways of geometric reasoning with uncertain homogeneous coordinates.	365
10.6	Line element: Uncertain 2D and 3D point with zero precision.	367
10.7	Standard ellipse of the Euclideanly normalized homogeneous coordinates	368
10.8	Standard ellipse of the spherically normalized homogeneous coordinates	369
10.9	Uncertainty fields on the plane and the sphere II	369
10.10	Reduced coordinates for representing an uncertain 2D point.	370
10.11	Uncertainty fields on the plane and the sphere I	372
10.12	Uncertain 2D line and its representation in the real plane.	374
10.13	Uncertain 2D line with Euclideanly normalized homogeneous coordinates.	375
10.14	Uncertain 2D line with spherically normalized homogeneous coordinates.	376
10.15	Uncertain plane with standard hyperboloid.	378
10.16	Uncertain 3D line and astigmatism of an optical system.	379
10.17	Enforcing the Plücker constraint on a 6-vector	381
10.18	Transferring points from one image into another	390
10.19	Equivalence of stochastic homogeneous vectors.	392
10.20	Example for estimating a line with constraints of different modes.	397

10.21	Statistically best fitting line and the moment matrix	398
10.22	Standard deviation of the direction and anisotropy of the point cloud	400
10.23	Conditions for a closed form solutions for intersection point	402
10.24	Comparison of four optimization functions	420
10.25	Close up: left ALGs, right MLEs, see Fig. 10.24	421
10.26	Comparison of the accuracy for a far vanishing point	421
10.27	Estimation of vanishing points	423
10.28	Correctness of the theoretical covariance matrix	428
10.29	Symmetric roof determined from 5 and 6 points	430
10.30	Geographic coordinates for specifying the direction \mathbf{L}_h of a 3D line	433
11.1	Components of a model for image interpretation	442
11.2	City model and nonseparable regions	443
11.3	Cameras with different viewing geometry	443
11.4	Principle of a traditional and a computational camera	444
11.5	Radiometric and geometric operations in a computational camera	444
11.6	Cameras with area, line and point sensor	444
11.7	Viewpoints for the cameras Fig. 11.3	445
11.8	Camera models	446
11.9	Central camera model	447
11.10	Image having a viewing angle of 200°	447
11.11	Image with features: points, straight line segments and regions	448
11.12	Bundle adjustment	450
11.13	Prediction of geometric entities and constraints	451
12.1	Basic points and lines in a nadir image	457
12.2	Basic points and lines in a tilted image	458
12.3	Horizon, vanishing and nadir point	459
12.4	Geometry of optical mapping	461
12.5	Perspective projection of an object point	462
12.6	Steps of mapping with a camera	463
12.7	Overview of the mapping steps for perspective and spherical cameras	464
12.8	Geometry of ideal perspective mapping	469
12.9	Sensor coordinate system and image coordinate system	470
12.10	Geometry of the single image	475
12.11	Original image with strong distortion and rectified image	478
12.12	Spherical projection of a 3D line	482
12.13	Model of a spherical camera	486
12.14	Central nonstraight line-preserving pinhole cameras	487
12.15	Central models for fish-eye lenses	487
12.16	Central projection with a parabolic catadioptric optical system	488
12.17	Camera system with two cameras	489
12.18	Relation between uncertainty of image coordinates and ray direction	492
12.19	The principle of the system <i>Wheelwatch</i> of AICON	514
12.20	Spatial resection with three given object points	515
12.21	An example of four solutions	516
12.22	Loss in precision for spatial resection with three given points	519
12.23	Eight point configuration for the orientation of a camera	522
12.24	Theoretical precision of the projection centre	523
12.25	Back projection of an image to an arbitrary scene plane	525
12.26	Back projection of an image to specific scene planes	526
12.27	Mono-plotting for given plane	527
12.28	Uncertainty of a new 3D point	529
12.29	Coordinates of observed line segment	529
12.30	Direction of parallel 3D lines from vanishing point	530
12.31	Reconstruction of the normal of a plane and of the rotation matrix	531

12.32	Interior orientation from a Legoland image	533
12.33	Image (upper left) with rectifications to principal planes of object	533
12.34	Perspective image of a building, inconsistent truncated pyramid	535
12.35	3D circle from its image	536
12.36	Spatial resection with scene point \mathbf{X} on a unit sphere	541
12.37	Image and plan of a barn	544
12.38	Image of a road sign on a lane	545
13.1	Principle of two-view analysis	550
13.2	Two-step procedure for the orientation of the image pair	551
13.3	Invariance of the coplanarity constraint w.r.t. translation along base line	553
13.4	Parametrization of relative orientation of two images	559
13.5	Geometry of the normal case of the image pair	563
13.6	Elements of the epipolar geometry	565
13.7	Normalizing an image pair	568
13.8	Plane-induced homography between two images	570
13.9	Uncertainty of relative orientation	575
13.10	Determination of the base vector from two corresponding points	580
13.11	Relative orientation of a single image of a symmetric object	581
13.12	The decomposition of the essential matrix leads to four solutions	584
13.13	Classical relative orientation with Gruber points	592
13.14	Ideal forward motion	595
13.15	Uncertainty field in an epipolar plane	603
13.16	Canonical photogrammetric solution of triangulation	603
13.17	Uncertainty field around the basis for a pair of perspective cameras	607
13.18	Sign of image lines in two views	608
13.19	Number of points for orienting two images	611
13.20	Bundle solution for the orientation of the image pair	613
13.21	Orientation of the image pair by separate orientation	615
13.22	Two-step procedure for the orientation of the image pair	615
13.23	Images taken with the left and the right eye	618
13.24	Epipolar geometry of the image pair. The two projection centres have different height	619
13.25	Determining the point \mathcal{H} closest to the two projecting rays \mathcal{L} and \mathcal{M}	620
13.26	An image pair	623
14.1	The relative orientation of the image triplet	625
14.2	Geometry of the image triplet with points	628
14.3	Minimum solution for the relative orientation of three calibrated images	641
14.4	Trifocal constraint	643
15.1	A bundle block as bipartite graph	650
15.2	Example of stitching six images	657
15.3	A factor graph for the block adjustment example	658
15.4	Sparse Jacobian for the example data set	661
15.5	Normal equation matrix for the example data set	662
15.6	Reduced normal equation matrix for the example data set	665
15.7	Principle of the reduction of a sparse symmetric matrix	665
15.8	Optimal sorting for diminishing algorithmic complexity	666
15.9	Numbering of blocks along and across the strips	667
15.10	Effect of Sorting on the fill-in	668
15.11	Inner precision of a free strip and a free block	670
15.12	Maximum effect of random perturbations on free blocks	671
15.13	Quality of scene points of a strip with four, eight and 16 images	675
15.14	Effect of loop closing on the precision of a strip of images	676
15.15	Theoretical quality of stitched image blocks	678

15.16	Original images of the image sequence	683
15.17	Scale dependent standard deviation of image coordinates	685
15.18	Image of a test field with 40 circular targets	688
15.19	Residuals after calibration	690
15.20	Ideal setup of camera poses for calibration using bundle adjustment	702
15.21	Basic setup for camera calibration for example	708
15.22	Precision of triangulation of a scene point from T cameras	722
15.23	Arrangement of camera poses of a block	723
15.24	Schematic arrangement of control points in a block	723
15.25	Toblerone effect	724
15.26	View plan for rectangular buildings and rooms	725
15.27	Four overlapping images of a free bundle block	728
16.1	Effect of scale on surface perception	732
16.2	The digital surface model (DSM) and the digital elevation model (DEM)	733
16.3	Reconstructing a profile from given observations	735
16.4	Three sample profiles with the characteristics of the true profile in Fig. 16.3	736
16.5	Representations of $2^{1/2}$ D surfaces	736
16.6	Basis functions used for interpolation	741
16.7	Piecewise linear function	741
16.8	Flat and smooth functions	743
16.9	Flat and smooth functions	744
16.10	Smooth surfaces with each second partial derivative nonzero	745
16.11	An inhomogeneous situation of a terrain	746
16.12	A discrete profile observed sparsely	748
16.13	An AR(2) process, its reconstruction and uncertainty	754
16.14	Reconstruction with two different grid spacings h	758
16.15	Reconstruction of a profile with symmetric outliers	759
16.16	Robust weight functions for symmetric and asymmetric outliers	760
16.17	Reconstruction of a profile with one-sided outliers	760
16.18	Robust estimation for tackling steps and break points	762
16.19	Example for surface reconstruction	765
16.20	Fitted surface	765
16.21	Theoretical quality of surface reconstruction	766
16.22	Finding steps and break lines	766
16.23	Reconstruction of the surface of a facade after bundle adjustment	768
16.24	Surface reconstruction from aerial images	769